



Corner Radius series - 2 flutes

600
Nano


HRC
45

35°

R

● Micro Grain Carbide

● WC=90 Co=10 HV30=1571 Rupture=3750N/mm² Grain Size=0.6μm



MODE	Diameter	Corner Radius	Flute Length	Full Length	Shank Diameter	Flutes
	d	R	l	L	D	Z
RTA010012	1	0.1	3	50	4	2
RTA010022	1	0.2	3	50	4	2
RTA010032	1	0.3	3	50	4	2
RTA015022	1.5	0.2	4	50	4	2
RTA015032	1.5	0.3	4	50	4	2
RTA020022	2	0.2	6	50	4	2
RTA020032	2	0.3	6	50	4	2
RTA020052	2	0.5	6	50	4	2
RTA025022	2.5	0.2	8	50	4	2
RTA030022	3	0.2	8	50	3	2
RTA030032	3	0.3	8	50	3	2
RTA030052	3	0.5	8	50	3	2
RTA030102	3	1	8	50	3	2
RTA430022	3	0.2	8	50	4	2
RTA430032	3	0.3	8	50	4	2
RTA430052	3	0.5	8	50	4	2
RTA430102	3	1	8	50	4	2
RTA040022	4	0.2	10	50	4	2
RTA040032	4	0.3	10	50	4	2
RTA040052	4	0.5	10	50	4	2
RTA040102	4	1	10	50	4	2
RTA040152	4	1.5	10	50	4	2
RTA050022	5	0.2	13	50	6	2
RTA050032	5	0.3	13	50	6	2
RTA050052	5	0.5	13	50	6	2
RTA050102	5	1	13	50	6	2

Application :

⊙ Recommend

○ Suitable

X Not Recommend

carbon steel, Alloy steel	Pre-hardened steel	High-hardened					Stainless steel	Copper alloy	Aluminun alloy
	-45HRC	-50HRC	-55HRC	-60HRC	-65HRC				
○	○						○	○	




Corner Radius series - 2 flutes



● Micro Grain Carbide

● WC=90 Co=10 HV30=1571 Rupture=3750N/mm² Grain Size=0.6μm



MODE	Diameter	Corner Radius	Flute Length	Full Length	Shank Diameter	Flutes
	d	R	l	L	D	Z
RTA060022	6	0.2	15	50	6	2
RTA060032	6	0.3	15	50	6	2
RTA060052	6	0.5	15	50	6	2
RTA060102	6	1	15	50	6	2
RTA060152	6	1.5	15	50	6	2
RTA060202	6	2	15	50	6	2
RTA080032	8	0.3	20	60	8	2
RTA080052	8	0.5	20	60	8	2
RTA080102	8	1	20	60	8	2
RTA080152	8	1.5	20	60	8	2
RTA080202	8	2	20	60	8	2
RTA080252	8	2.5	20	60	8	2
RTA080302	8	3	20	60	8	2
RTA100032	10	0.3	25	75	10	2
RTA100052	10	0.5	25	75	10	2
RTA100102	10	1	25	75	10	2
RTA100152	10	1.5	25	75	10	2
RTA100202	10	2	25	75	10	2
RTA100252	10	2.5	25	75	10	2
RTA100302	10	3	25	75	10	2
RTA120032	12	0.3	30	75	12	2
RTA120052	12	0.5	30	75	12	2
RTA120102	12	1	30	75	12	2
RTA120152	12	1.5	30	75	12	2
RTA120202	12	2	30	75	12	2
RTA120252	12	2.5	30	75	12	2
RTA120302	12	3	30	75	12	2

Application :

◎ Recommend

○ Suitable

X Not Recommend

carbon steel, Alloy steel	Pre-hardened steel		High-hardened			Stainless steel	Copper alloy	Aluminum alloy
	~45HRC	~50HRC	~55HRC	~60HRC	~65HRC			
○	○						○	○

